

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>6</sup> :	A2	(11) International Publication Number: <b>WO 95/00019</b>
A01N 43/80, 25/04		(43) International Publication Date: 5 January 1995 (05.01.95)

(21) International Application Number: PCT/GB94/01155	(81) Designated States: AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, ES, FI, GB, HU, JP, KP, KR, KZ, LK, LU, LV, MG, MN, MW, NL, NO, NZ, PL, PT, RO, RU, SD, SE, SK, UA, US, UZ, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).
(22) International Filing Date: 27 May 1994 (27.05.94)	
(30) Priority Data: 9312645.6 18 June 1993 (18.06.93) GB	
(71) Applicant (for all designated States except US): ZENECA LIMITED [GB/GB]; 15 Stanhope Gate, London W1Y 6LN (GB).	Published <i>Without international search report and to be republished upon receipt of that report.</i>
(72) Inventor; and	
(73) Inventor/Applicant (for US only): PAYNE, John, David [GB/GB]; 5 Hargreaves Court, Lumb, Rossendale BB4 9QA (GB).	
(74) Agents: PUGSLEY, Roger, Graham et al.; Intellectual Property group, Zeneca Specialties, P.O. Box 42, Hexagon House, Blackley, Manchester M9 8ZS (GB).	

(54) Title: STABLE AQUEOUS FORMULATION AND USE

(57) Abstract

Stable aqueous dispersions of 1,2-benzisothiazolin-3-one containing Xanthan gum which is substantially free from organic solvents.

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	IR	Ireland	NZ	New Zealand
RJ	Benin	IT	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgyzstan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LU	Luxembourg	TD	Chad
CS	Czechoslovakia	LV	Larvia	TG	Togo
CZ	Czech Republic	MC	Monaco	TJ	Tajikistan
DE	Germany	MD	Republic of Moldova	TT	Trinidad and Tobago
DK	Denmark	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	US	United States of America
FI	Finland	MN	Mongolia	UZ	Uzbekistan
FR	France			VN	Viet Nam
GA	Gabon				

STABLE AQUEOUS FORMULATION AND USE

5 The present invention relates to a stable aqueous formulation of 1,2-benzisothiazolin-3-one which is substantially free from organic solvents.

10 1,2-benzisothiazolin-3-one (hereinafter referred to as BIT) is an established industrial biocide and is particularly effective in protecting aqueous media against microbiological spoilage. It is particularly effective as a bactericide and is especially suited to the protection of latices. Thus, one of its major uses is as an in-

15 can preservative for the preservation of acrylic and acrylate paint emulsions.

20 BIT has low aqueous solubility and can cause sensitisation in some individuals. Consequently, for ease of handling and to reduce the risk of sensitisation, BIT is generally formulated as a liquid composition. These compositions include stable solutions of BIT in an amine solvent as disclosed in UK 1,191,253 and UK 1,330,531, and also solutions of BIT in propylene glycol or diethylene glycol. None of these compositions are ideal and have never been wholly successful in commercial terms.

25 Because of the low aqueous solubility of BIT, an alternative approach to stable aqueous solutions has been to form the alkali metal salt of BIT, especially the sodium or lithium salt. The lithium salt of BIT is disclosed in US 4,871,754 as having an aqueous solubility above 16% by weight which is approximately twice that of the sodium salt of BIT. The lithium salt of BIT is, however, more expensive to manufacture. Other approaches to increasing the aqueous solubility of the sodium salt of BIT is to include co-solvents such as dipropylene glycol as disclosed in US 4,188,376 or urea as disclosed in US 30 4,751,311. The formulation containing dipropylene glycol has become extremely important commercially. However, formulations containing the alkali metal salt of BIT exhibit relatively high pH which is a disadvantage in some applications. Furthermore, there is an every increasing demand for formulations containing a low concentration of volatile organic compounds (hereafter VOC). Hence, formulations 35 containing solvents such as glycols are becoming less acceptable.

Because of its low aqueous solubility, BIT has also been formulated as a dispersion wherein the BIT is generally dispersed by means of a non-ionic or anionic surface active agent. Aqueous dispersions containing 33% by weight BIT are known, but tend to be 5 unstable under storage at elevated temperature resulting in gels which are difficult to handle. Improved dispersions have been attempted by incorporating solvents such as propylene glycol, but such dispersions tend to layer and separate on storage at elevated temperature and the BIT consequently aggregates and forms lumps. Alternatively, mineral 10 clays have been included in the formulation to structure the aqueous phase with the objection of inhibiting separation. This tends to reduce aggregation of the BIT but the formulation again separates on storage at elevated temperature. As with the formulations containing solvents, the formulations containing clays require rehomogenising 15 prior to use and this can be difficult and expensive. Failure to ensure uniform distribution of the BIT throughout the formulation can give rise to errors in metering and subsequent reduction, or even loss, of microbial protection in the media to be preserved.

Xanthan gum is a polysaccharide thickener which forms a 20 structured network of entangled molecules in water which aids the suspension of particulate matter, and can reduce sedimentation. Aqueous dispersions containing 33% by weight BIT have been prepared containing both a Xanthan gum and propylene glycol as a cosolvent. Again such formulations tend to separate and the BIT tends to 25 aggregate and form lumps. The addition of glycols such as mono- and dipropylene glycol to aqueous formulations generally increases the viscosity of the formulation as disclosed in Examples 16 to 21 of UK Patent Application No. 9300936.3 which relates to aqueous solutions of the sodium salt of BIT. The more dipropylene glycol is added, the 30 higher the viscosity. We have now surprisingly found that when the propylene glycol is removed from aqueous formulations containing BIT dispersed in the presence of Xanthan gum and the glycol, the viscosity actually increases. This observation is contrary to the effect of the glycol observed in the formulations disclosed in UK Patent Application 35 No. 9300936.3. As a result, we have now found it possible to make a stable aqueous formulation of BIT in the presence of a Xanthan gum which is substantially free from organic solvents.

According to the present invention there is provided a stable aqueous formulation comprising from 5 to 30% by weight microbiologically active agent containing at least 50% BIT, from 1 to 4% dispersant and from 0.1 to 0.5% by weight Xanthan gum, which formulation is substantially free from organic solvents.

The remainder of the aqueous formulation is preferably wholly water but may comprise other materials, such as inorganic salts. The formulation, is however, preferably, completely free from organic solvents.

Preferably, the amount of microbiologically active agent in the formulation is at least 7% and more preferably at least 9%, for example 10% by weight of the formulation. The amount of microbiologically active agent is also preferably less than 25% and more preferably less than 22%, for example 20% by weight of the formulation.

The dispersant is preferably either non-ionic or anionic, or a mixture thereof, but is especially anionic. Examples of suitable non-ionic dispersants are condensates of ethylene oxide or propylene oxide including block co-polymers of ethylene oxide and propylene oxide. Examples of suitable anionic agents are sodium lignin sulphonate and the sodium salt of naphthalene sulphonic acid/formaldehyde condensates. Mixtures of anionic and non-ionic dispersants may also be used. Preferably the amount of dispersant is at least 1.2% and especially at least 1.5% by weight relative to the total formulation. It is preferred that the amount of dispersant is less than 3.5%, for example 3% by weight of the total formulation.

The amount of dispersant is commonly calculated on the amount of microbiologically active agent in the formulation. Thus, the ratio of dispersant to microbiologically active agent is preferably 1:20, more preferably 2:20 and especially 3:20.

The amount of Xanthan gum is preferably at least 0.2%, more preferably at least 0.3% and especially at least 0.35% relative to the total weight of the formulation. It is also preferred that the amount of Xanthan gum is less than 0.45%, for example 0.4% relative to the total weight of the composition.

The pH of the formulation may be from 1 to 8 but is preferably above 3, more preferably above 5 and especially above 6. It is

especially preferred that the pH is about neutral, i.e. from 6.5 to 7.5 but more preferably is not greater than 7.

As noted hereinbefore, the exclusion of the glycol solvent from formulations of BIT containing a dispersant, Xanthan gum and propylene glycol results in an increase in viscosity. The formulations of the present invention preferably exhibit a viscosity of at least 1000, preferably at least 1200 and especially at least 1500 centipoise as measured by Brookfield viscometer using Spindle No. 2 and rotational speed of 10 rpm. The viscosity is preferably less than 3,500 and especially less than 3000 centipoise.

We have obtained a particularly stable dispersion containing about 20% by weight BIT, about 3% anionic dispersant and 0.3 to 0.4% Xanthan gum relative to the total weight of the formulation, the remainder being water.

The formulation preferably contains BIT as the only microbiologically active agent, but it may contain one or more further microbiologically active agent. The further microbiologically active agent is preferably one which extends the spectrum of activity against micro-organisms. When the composition contains more than one microbiologically active agent, the further microbiologically active agent or agents may be added to the formulation simultaneously with the BIT or may be added sequentially.

The further microbiologically active agent may be present in up to the same amount as BIT, but is more preferably less. Thus, according to a further aspect of the invention there is provided an aqueous formulation comprising from 2.5% to 15% by weight BIT, from 2.5% to 15% by weight of a further microbiologically active agent, from 1 to 4% dispersant and from 0.1 to 0.5% by weight Xanthan gum. Preferably, the further microbiologically active agent is equal to the amount of BIT, and is especially about two thirds the amount of BIT.

Preferably the further microbiological agent is the 2:1 Zinc complex of 2-mercaptopyridine-1-oxide.

We have obtained a further especially stable dispersion where the microbiologically active agent comprises 12.3% BIT and 7.7% of the 2:1 zinc complex of 2-mercaptopyridine-1-oxide.

The formulation containing BIT may be made from an aqueous paste of BIT such as that resulting from the filtration of BIT in a filter

press (hereafter referred to as 'press paste') which is a filter cake containing BIT itself and water with substantially no other adjutants. The press paste typically contains from 70 to 80% BIT and has a pH of between 6 and 7.2. Typically, the dispersant is dissolved in water and the BIT press paste added over a period of time, generally 1-2 hours at 20-25°C in a high shear mixer to disperse the BIT throughout the aqueous phase. Any foaming can be controlled in conventional manner by adding a suitable anti-foam agent which is compatible with other components of the formulation and which does not interfere with the microbiological activity of the BIT or the further 5 microbiologically active agent, if present. The suspension is then milled until the dispersed matter has a particle size below 20 $\mu$ , preferably below 10 $\mu$  and especially below 5 $\mu$ . The remainder of the water is then added followed by the Xanthan gum, which is preferably 10 added as a solid. Addition of the Xanthan gum is made under rapid 15 agitation in order to prevent the formulation of lumps.

The formulations of the present invention are microbiologically active and can be used as industrial biocides to protect media against microbiological deterioration.

20 The invention is further illustrated by the following non-limiting examples wherein all references to amounts are in parts by weight unless stated to the contrary.

EXAMPLE 1

25 Sodium lignin sulphonate (30 parts) is dissolved in water (350 parts) by stirring at 1-15°C. BIT press paste (266 parts containing 75% BIT and 25% water) was added over 30 minutes and uniformly distributed in a Silverson mixer. The resulting dispersion was then milled in a horizontal bead mill in the presence of Ballotini beads 30 until a mean-particle size of 95% BIT below 5 $\mu$  was obtained. The remainder of the water was then added followed by Xanthan gum (4 parts) which was added as a dry powder over 30 minutes. The formulation obtained contained 20% BIT, 3% dispersant and 0.4% Xanthan gum, the remainder being water. It had a viscosity of about 3100 35 centipoise as measured by Brookfield viscometer using Spindle No 2 and a rotation speed of 10 rpm.

The formulation exhibited excellent stability when stored at 40°C for 1 month with only about 1% separation.

Comparative Example A

5 Example 1 was repeated except that 10% of the water was replaced by an equivalent amount of dipropylene glycol. The viscosity of the resultant formulation was reduced to about 1650 centipoise. This is contrary to the effect of adding dipropylene glycol to aqueous solutions of the sodium salt of BIT as disclosed in UK Application No. 930936.3.

10

EXAMPLE 2

15 Example 1 was repeated except that the amount of sodium lignin sulphonate and the amount of BIT press paste was reduced by 50% with consequential adjustment to the amount of water. The resulting formulation contained 10% BIT, 1.5% dispersant and 0.4% Xanthan gum, the remainder being water. When stored for 1 month at 40°C, the formulation showed no separation.

EXAMPLE 3

20 Sodium lignin sulphonate (15 parts) was dispersed in water (200 parts) by stirring at 20-25°C. BIT press paste (168 parts containing 73.6% BIT) was added and dispersed uniformly throughout the aqueous phase by mixing for 10 minutes in a Silverson mixer.

25 The coarse dispersion so obtained was then milled in a horizontal bead mill in the presence of Ballotini beads and with a peripheral disc speed of about 1500 ft/min. Milling was continued until the mean particle size of the BIT has a distribution of 95% below 5 $\mu$ .

30 An aqueous dispersion of the 2:1 zinc complex of 2-mercaptopuridine-1-oxide (160 parts; ex Olin Chem. Co., USA) together with the remaining water was added and thoroughly mixed.

35 Xanthan gum (5 parts) was then added rapidly under high shear mixing and mixing continued for a further 20 minutes. The resulting formulation contained 12.3% BIT, 2.0% dispersant, 7.7% 2:1 zinc complex of 2-mercaptopuridine-1-oxide and 0.5% Xanthan gum, the remainder being water. The formulation exhibited excellent stability when stored for 1 month at 40°C with no observable phase separation.

CLAIMS

1. A stable aqueous formulation comprising from 5 to 30% by weight of a microbiologically active agent containing at least 50% BIT, from 1 to 4% dispersant and from 0.1 to 0.5% by weight Xanthan gum, which formulation is substantially free from organic solvents.  
5
2. A formulation as claimed in claim 1 wherein the remainder of the formulation is water.
- 10 3. A formulation as claimed in either claim 1 or claim 2 wherein the amount of microbiological agent is at least 9% by weight of the total formulation.
- 15 4. A formulation as claimed in any one of claims 1 to 3 wherein the amount of microbiological agent is less than 22% by weight of the total formulation.
- 20 5. A formulation as claimed in any one of claims 1 to 4 which contains only BIT as the sole microbiologically active agent.
- 25 6. A formulation as claimed in any one of claims 1 to 5 which has a viscosity of at least 1000 centipoise.
7. A formulation as claimed in any one of claims 1 to 6 which has a viscosity of less than 3500 centipoise.  
25
- 30 8. A formulation as claimed in claim 1 which comprises about 20% BIT, about 3% dispersant and about 0.4% Xanthan gum by weight of the total formulation.
9. A formulation as claimed in claim 1 which comprises about 10% BIT, about 1.5% dispersant and about 0.4% Xanthan gum by weight of the total formulation.  
35
10. A formulation as claimed in claim 1 which comprises about 12.3% BIT, about 2.0% dispersant, about 7.7% of the 2:1 zinc complex of 2-mercaptopuridine-1-oxide and about 0.4% Xanthan gum.

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6 : <b>A01N 43/80, 25/04 // (A01N 43/80, 25:04)</b>		A3	(11) International Publication Number: <b>WO 95/00019</b> (43) International Publication Date: <b>5 January 1995 (05.01.95)</b>
---	--	----	--

(21) International Application Number: <b>PCT/GB94/01155</b>	(81) Designated States: AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, ES, FI, GB, HU, JP, KP, KR, KZ, LK, LU, LV, MG, MN, MW, NL, NO, NZ, PL, PT, RO, RU, SD, SE, SK, UA, US, UZ, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).
(22) International Filing Date: <b>27 May 1994 (27.05.94)</b>	
(30) Priority Data: <b>9312645.6 18 June 1993 (18.06.93) GB</b>	
(71) Applicant (for all designated States except US): ZENECA LIMITED [GB/GB]; 15 Stanhope Gate, London W1Y 6LN (GB).	Published <i>With international search report.</i>
(72) Inventor; and	
(75) Inventor/Applicant (for US only): PAYNE, John, David [GB/GB]; 5 Hargreaves Court, Lumb, Rossendale BB4 9QA (GB).	(88) Date of publication of the international search report: <b>09 February 1995 (09.02.95)</b>
(74) Agents: PUGSLEY, Roger, Graham et al.; Intellectual Property group, Zeneca Specialties, P.O. Box 42, Hexagon House, Blackley, Manchester M9 8ZS (GB).	

(54) Title: STABLE AQUEOUS FORMULATION OF BENZISOTHIAZOLIN-3-ONE AND XANTHANGUM

(57) Abstract

Stable aqueous dispersions of 1,2-benzisothiazolin-3-one containing Xanthan gum which is substantially free from organic solvents.

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	IE	Ireland	NZ	New Zealand
BJ	Benin	IT	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgyzstan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LU	Luxembourg	TD	Chad
CS	Czechoslovakia	LV	Latvia	TC	Togo
CZ	Czech Republic	MC	Monaco	TJ	Tajikistan
DE	Germany	MD	Republic of Moldova	TT	Trinidad and Tobago
DK	Denmark	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	US	United States of America
FI	Finland	MN	Mongolia	UZ	Uzbekistan
FR	France			VN	Viet Nam
GA	Gabon				

## INTERNATIONAL SEARCH REPORT

Int. Application No  
PCT/GB 94/01155A. CLASSIFICATION OF SUBJECT MATTER  
IPC 5 A01N43/80 A01N25/04 // (A01N43/80, 25:04)

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 5 A01N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	PATENT ABSTRACTS OF JAPAN vol. 015, no. 031 (C-0798) 24 January 1991 & JP,A,02 268 900 (KURITA SEIZOSHO:KK; OTHERS: 01) 2 November 1990 & CHEMICAL ABSTRACTS, vol. 114, no. 22, 3 June 1991, Columbus, Ohio, US; abstract no. 213751e, K. FUROKAWA, R. MARUOKA & S. HINA. 'Deodorant composition for sludge.' see abstract ---	1-9
A	EP,A,0 243 616 (CASSELLA AG) 4 November 1987 see page 2, line 19 - line 21 ---	1-9
E	WO,A,94 16564 (ZENECA LTD.) 4 August 1994 cited in the application ---	1-9

 Further documents are listed in the continuation of box C. Patent family members are listed in annex.

## \* Special categories of cited documents :

- \*A\* document defining the general state of the art which is not considered to be of particular relevance
- \*E\* earlier document but published on or after the international filing date
- \*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- \*O\* document referring to an oral disclosure, use, exhibition or other means
- \*P\* document published prior to the international filing date but later than the priority date claimed

\*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

\*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

\*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

\*&\* document member of the same patent family

1

Date of the actual completion of the international search

Date of mailing of the international search report

28 November 1994

08.12.94

Name and mailing address of the ISA

Authorized officer

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+ 31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+ 31-70) 340-3016

Klaver, J

## INTERNATIONAL SEARCH REPORT

Int. Application No  
PCT/GB 94/01155

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	GB,A,1 191 253 (ICI LTD.) 13 May 1970 cited in the application -----	1-9

1

**INTERNATIONAL SEARCH REPORT**

Information on patent family members

Int. Appl. No.

PCT/GB 94/01155

Patent document cited in search report	Publication date	Patent family member(s)		Publication date
EP-A-0243616	04-11-87	DE-A-	3609939	01-10-87
		AU-A-	7050187	01-10-87
		DE-A-	3776391	12-03-92
		JP-A-	62230704	09-10-87
		US-A-	4923887	08-05-90
-----	-----	-----	-----	-----
WO-A-9416564	04-08-94	AU-B-	5841194	15-08-94
-----	-----	-----	-----	-----
GB-A-1191253	13-05-70	BE-A-	728557	18-08-69
		FR-A-	2002353	17-10-69
		SE-B-	363833	04-02-74
-----	-----	-----	-----	-----